

<b>Patient:</b> [REDACTED]		
<b>Date of application registration:</b> 06.10.2020		
<b>Date of birth:</b> 22.11.1989	<b>Age:</b> 30 y.o.	<b>Sex:</b> F
<b>Medical facility:</b> [REDACTED]		<b>Code of medical facility:</b> 80 [REDACTED]

### PCR, Detection of coronavirus causing severe acute respiratory syndrome

<b>Sampling date:</b> 08.10.2020	
<b>Order:</b> 7003528741	<b>Specimen type:</b> Oropharyngeal swab
<b>Test:</b> NOVEL CORONAVIRUS COVID-19 (SARS-CoV-2), RNA (molecular detection, qualitative), cito	

Parameter	Result	Reference range
Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2), RNA	Not detected	Not detected

*Interpretation of the results is not a diagnosis; diagnostic conclusion is performed by the patient's treating clinician. The laboratory is not responsible for the consequences of self-interpretation of the results by the patient. The results obtained are applicable to the specific test sample. When presenting a certificate for crossing the border, the period between the date of arrival at the border and testing should not exceed 4 days. A time frame for getting the laboratory test results to identify the RNA coronavirus COVID-19 (SARS-CoV-2) in nasopharyngeal and oropharyngeal swabs is within 2 to 3 days. Therefore, when planning a trip, is it necessary to get tested within 3 to 4 days before departure. If you get tested earlier, the certificate will be expired, if later, you don't have time to get the result of this analysis before the planned departure*

License № LO-77-01-013785 19.01.2017 ISO 541908 GC 27.11.2018

 Final result: **The head of Laboratory:** Mitrofanova M. L.

Page 1 of 2

Date of result readiness: 09.10.2020 4:24:47

 Printed date: 16.10.2020 12:30:29 **Result confirmed by:**

  
signature


<b>Пациент:</b> БИ... СС... ИБ... ПИ...		
<b>Дата регистрации:</b> 06.10.2020		
<b>Дата рождения:</b> 22.11.1989	<b>Возраст:</b> 30 л.	<b>Пол:</b> Ж
<b>ЛПУ:</b> МЦБ... С... С... С... С...		<b>Код ЛПУ:</b> 80067-243

**ПЦР, КОРОНАВИРУСЫ, ВЫЗЫВАЮЩИЕ ОСТРЫЙ РЕСПИРАТОРНЫЙ СИНДРОМ (SARS)**

<b>Дата взятия:</b> 08.10.2020	
<b>Заказ:</b> 7003528741	<b>Материал:</b> Мазок/отделяемое ротоглотки
<b>Исследования:</b> НОВЫЙ КОРОНАВИРУС COVID-19 (SARS-Cov-2), определение РНК (кач.)	

Параметр	Результат	Референсные значения
РНК коронавируса SARS-CoV-2 (COVID-19)	Не обнаружено	Не обнаружено

*Результат лабораторного исследования не является диагнозом, интерпретация результатов проводится с учетом клинических проявлений и данных анамнеза.*

Лицензия № ЛО-77-01-013785 от 19.01.2017 ИСО 541908 GC от 27.11.2018

Итоговый результат: **Заведующий КДЛ:** Митрофанова М.П.  
 Страница 2 из 2

Дата готовности результата: 09.10.2020 4:24:47

Дата формирования результата: 16.10.2020 12:30:29 **Результат выдал:**

подпись

